

Get a free quote today.


Visit newageenclosures.com/services or call 855-4NA-ENCL for customization.

Part Marking
CNC Cutouts
Color Options
RF/EMI Shielding
Specialized Materials
Custom Designed Enclosures









			R E V I S I O N		
REV.	DRAWN BY	ECO No	DESCRIPTION	DATE	APPROVE
Α	M BOYER	DR1622	PRELIMINARY DESIGN BASED ON 333314 THROUGH REV D	2021-Nov-09	J.T.
В	M BOYER		REVISE PER 211109 REVIEW	2021-Nov-10	J.T.
С	M BOYER		REMOVE FACEPLATE	2022-Dec-06	J.T.
D	M BOYER		REMOVE STANDARD BASE VERSION	2023-May-02	D.C.
E	M BOYER		ADD STANDARD BASE AND ALTERNATE HEIGHT COVER	2024-Jan-30	D.C.
F	M BOYER		ADJUST WIDTH OF WALL BASE	2024-Feb-19	D.C.
G	M BOYER		DETAIL TEXTURE INFO AND T1 REVIEW	2024-Apr-08	J.T.
1.0	M BOYER	EC000625	UPDATE TO AS BUILT AND RELEASE TO MFG	2025-Jan-23	

TALL VS SHORT COVER EQUATES TO 1.200" VS 1.650" **ENCLOSURE HEIGHT**

333315(x) CONFIGURATIONS				
	-T	-S	-TW	-SW
333315 TALL COVER	1		1	
333315 SHORT COVER		1		1
333315 STANDARD BASE	1	1		
333315 WALL BASE			1	1
#4 HiLo SCREW .375"	4	4	4	4

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. CORNERS DRAWN SHARP TO BE R.005 MAXIMUM.
- 2. EXTERIOR SURFACE TEXTURE TO MT-11020 EXCEPT WHERE NOTED ON SHEETS 2 AND 3.
- 3. INTERIOR SURFACE TEXTURE TO BE: NONE.
- ALL INSIDE RADII .010R. ALL OUTSIDE RADII .020R MAX, UNLESS OTHERWISE SPECIFIED.
- 5. ALL EXTERNAL DIMENSIONS AFFECTED BY THE DRAFT APPLY AT THE LARGE END OF THE FEATURE, AND ALL INTERNAL FEATURES AFFECTED BY THE DRAFT APPLY AT THE SMALL END OF THE FEATURE UNLESS OTHERWISE SPECIFIED.
- 6. 1 DEGREE DRAFT IN THE DIRECTION OF PULL IS PERMISSIBLE UNLESS OTHERWISED SPECIFIED.
- 7. ASSEMBLY SCREWS FOR THE ENCLOSURE INCLUDED. MOUNTING SCREWS FOR THE PCB ARE SOLD SEPERATELY.
- 8. MATERIAL / COLOR: ABS PLASTIC IS STANDARD IN BLACK OR WHITE. CUSTOM MATERIALS AND COLORS ARE AVAILABLE UPON REQUEST FOR QUOTE.
- 9. PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF ITS FIT ARE THE SOLE RESPONSIBILITY OF THE CUSTOMER.

8	NO_4_375_SCREW No4 HiLo x .375" - PCB #4 HiLo x 3/8"		#4 HiLo x 3/8"	INCLUDED	4
7	NO6X375_HILO_SCREW	#6 HiLo X .375" - DIN MOUNT	REFERENCE ONLY	CUSTOMER SUPPLIED	4
6	DINM12-RC UNIVERSAL DIN RAIL ADAPTER REFERENCE ONLY		CUSTOMER SUPPLIED	2	
5	333315_PCB	333315 PCB - REFERENCE	.062" THICK	CUSTOMER SUPPLIED	1
4	333315_WALL-BASE	333315 WALL - STANDARD	ABS	BLACK or WHITE	1
3	333315_T-COVER	333315 COVER - STANDARD	ABS	BLACK or WHITE	1
2	333315_S-COVER	333315 COVER - STANDARD	ABS	BLACK or WHITE	1
1	333315_BASE	333315 WALL - STANDARD	ABS	BLACK or WHITE	1
ITEM	FILE NAME	DESCRIPTION	MATERIAL	COLOR	QTY.
BILL OF MATERIALS					


TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. THIRD ANGLE PROJECTION DO NOT SCALE DRAWING NEW AGE ENCLOSURES NOTICE: THE INFORMATION AND DATA CONTAINED HERBER IS CONSIDERED TO CONSIDERED THE CONTAINED HERBER IS CONSIDERED TO CONSIDERED THE CONTAINED HERBER IS CONSIDERED TO CONSIDER TO CONSIDER TO CONSIDER TO CONSIDER THE CONTAINED HERBER INFORMATION OF THE CONTAINED HERBER WHITTER CONSIDER OF A LITEC INTEGRATED HIS INCOMEST OF A LITEC INTEGRATED HIS INCOMEST OF A LITEC INTEGRATED HIS INCOMEST OF A LITEC INTEGRATED HIS INCOMEST. Customer's Part No: 333315 CHECK ENG. SCALE AS NOTED DRAWN BY M BOYER 2021-Jun-29


2240 South Thornburg Street ph. (805) 595-1310


www.newageenclosures.com


3" SQUARE UTIL. - STANDARD SXX-333315X-XXX


DRAWING NAME REV.DOC 333315X R1 0 1 OF 9 1.0


















SHEET 1 of 1


2nd OPERATION DETAILS - SHEET 1 OF


NEW AGE ENCLOSURES DELIVERS YOUR ENCLOSURE MARKET-READY WITH IN-HOUSE
CNC MACHINING, PAD PRINTING, ASSEMBLY, AND FULFILLEMENT.

ALL SURFACES AND AREAS ARE AVAILABLE FOR CNC ALTERATION BY NEW AGE ENCLOSURES
CALL (8865) 595-1319 FOR PRICING AND SCHEDULE.


THE INSIDE RADIUS OF ANY MACHINED FEATURES SHOULD BE NO SMALLER THAN .031"







333315 TALL COVER SCALE 1.000



333315(x) CONFIGURATIONS				
	-T	-S	-TW	-SW
333315 TALL COVER	1		1	
333315 SHORT COVER		1		1
333315 STANDARD BASE	1	1		
333315 WALL BASE			1	1
#4 HiLo SCREW .375"	4	4	4	4

NEW ACE ENGLOSURES
X.XXX = .010 X.X° = 1°
X.XX = .015 X.XXXX = .001
TOLERANCES: UNLESS OTHERWISE SPECIFIE DIMENSIONS ARE IN U.S. INCHES.

NEW AGE ENCLOSURES

Customer's Part No: 333315

ΔPPR∩VΔI DATE CHECK ENG. SCALE AS NOTED

2240 South Thornburg Street ph. (805) 595-1310 www.newageenclosures.com

1.0

9 OF 9

3" SQUARE UTIL. - STANDARD SXX-333315X-XXX

SXX-333315-XXX COVER - ABS, BLACK STEP NO **DESCRIPTION** CUTTER FIXTURE ORIENTATION **PROGRAM** 1-C-C1 T2 = .062" EM o1000

M BOYER 2021-Jun-29 REV.DOC

A 333315X_R1_0